WEST Search History

Hide Items Restore Clear Cancel

DATE: Monday, September 26, 2005

Hide?	Set Name	Query Hit	Count		
DB = PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; OP = ADJ					
	L23	L21 and (observable with object\$2)	7		
	L22	L21 and 118	1		
	L21	717/127-131,116,120.ccls.	1912		
	L20	L18 and (modif\$7)	288		
	L19	L18 and (modif\$7)	288		
	L18	(observable near3 object\$2)	570		
DB=PGPB; PLUR=YES; OP=ADJ					
	L17	717/127.ccls.	120		
	L16	L15 with data	20		
	L15	(observable near3 object\$2)	135		
$DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD;\ PLUR=YES;\ OP=ADJ$					
	L14	L7 and L11	2		
	L13	L6 and L11	12		
	L12	L5 and L11	1		
	L11	L2 with data	41		
	L10	L2 and L7	15		
	L9	L2 and L6	27		
	L8	L2 and L5	6		
	L7	707/\$.ccls.	15718		
\square	L6	709/\$.ccls.	19038		
· []	L5	717/\$.ccls.	5295		
	L4	L2 and (entry with data)	29		
	L3	L2 and ((audit\$6 or check\$3 or verif\$6) with data)	22		
	L2	(observable near3 object\$2)	435		
	Ll	(observable near3 object\$@)	0		

END OF SEARCH HISTORY

PALM INTRANET

Day : Monday Date: 9/26/2005

Time: 13:36:42

Inventor Information for 09/848291

Inventor Name	City	State/Country	,
LAM, THANH V.	HURLEY	NEW YORK	
Applin Info Contents Petition Info	Atty/Agent Info	Continuity Data	Foreign Data
Search Another: Application#	Search (or Patent#	Search
PCT /	Search or P	G PUBS #	Search
Attorney Docket #		Search	
Bar Code #	Search		

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

+observable +object +modifier +audit +data



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used observable object modifier audit data

Found 20 of 161,645

Sort results by Display results relevance

Save results to a Binder

Search Tips

Open results in a new

Try an <u>Advanced Search</u> Try this search in <u>The ACM Guide</u>

Results 1 - 20 of 20

Relevance scale 🔲 📟 📟 🌃

A Metadata Catalog Service for Data Intensive Applications
Gurmeet Singh, Shishir Bharathi, Ann Chervenak, Ewa Deelman, Carl Kesselman, Mary
Manohar, Sonal Patil, Laura Pearlman

November 2003 Proceedings of the 2003 ACM/IEEE conference on Supercomputing

Full text available: pdf(178.25 KB) Additional Information: full citation, abstract

window

Advances in computational, storage and network technologies as well as middle ware such as the Globus Toolkit allow scientists to expand the sophistication and scope of data-intensive applications. These applications produce and analyze terabytes and petabytes of data that are distributed in millions of files or objects. To manage these large data sets efficiently, metadata or descriptive information about the data needs to be managed. There are various types of metadata, and it is likely that a ...

Formalizing the safety of Java, the Java virtual machine, and Java card Pieter H. Hartel, Luc Moreau



Full text available: ddf(442.86 KB)

Additional Information: full citation, abstract, references, citings, index terms

We review the existing literature on Java safety, emphasizing formal approaches, and the impact of Java safety on small footprint devices such as smartcards. The conclusion is that although a lot of good work has been done, a more concerted effort is needed to build a coherent set of machine-readable formal models of the whole of Java and its implementation. This is a formidable task but we believe it is essential to build trust in Java safety, and thence to achieve ITSEC level 6 or Common Crite ...

Keywords: Common criteria, programming

Protection and the control of information sharing in multics

Jerome H. Saltzer
July 1974 Communications of the ACM, Volume 17 Issue 7

Full text available: ddf(1.75 MB)

Additional Information: full citation, abstract, references, citings, index terms

The design of mechanisms to control the sharing of information in the Multics system is described. Five design principles help provide insight into the tradeoffs among different possible designs. The key mechanisms described include access control lists, hierarchical

control of access specifications, identification and authentication of users, and primary memory protection. The paper ends with a discussion of several known weaknesses in the current protection mechanism design.

Keywords: Multics, access control, authentication, computer utilities, descriptors, privacy, proprietary programs, protected subsystems, protection, security, time-sharing systems, virtual memory

4 Information systems security design methods: implications for information systems development



Richard Baskerville

December 1993 ACM Computing Surveys (CSUR), Volume 25 Issue 4

Full text available: pdf(3.44 MB)

Additional Information: full citation, abstract, references, citings, index terms

The security of information systems is a serious issue because computer abuse is increasing. It is important, therefore, that systems analysts and designers develop expertise in methods for specifying information systems security. The characteristics found in three generations of general information system design methods provide a framework for comparing and understanding current security design methods. These methods include approaches that use checklists of controls, divide functional req ...

Keywords: checklists, control, integrity, risk analysis, safety, structured systems analysis and design, system modeling

5 Verifying Security

Maureen Harris Cheheyl, Morrie Gasser, George A. Huff, Jonathan K. Millen September 1981 ACM Computing Surveys (CSUR), Volume 13 Issue 3

Full text available: pdf(4.68 MB) Additional Information: full citation, references, citings, index terms

Automatic parsing for content analysis

Frederick J. Damerau

June 1970 Communications of the ACM, Volume 13 Issue 6

Full text available: pdf(4.07 MB)

Additional Information: full citation, abstract, references, citings

Although automatic syntactic and semantic analysis is not yet possible for all of an unrestricted natural language text, some applications, of which content analysis is one, do not have such a stringent coverage requirement. Preliminary studies show that the Harvard Syntactic Analyzer can produce correct and unambiguous identification of the subject and object of certain verbs for approximately half of the relevant occurences. This provides a degree of coverage for content analysis variable ...

Keywords: content analysis, information retrieval, language analysis, natural language processing, parsing, syntactic analysis, text processing

System development methodology using LOGOS

David B. Allen, Mark R. Dempsey, Leslie H. Goldsmith

January 1987 ACM SIGAPL APL Quote Quad, Proceedings of the international conference on APL: APL in transition, Volume 17 Issue 4

Full text available: ndf(1.32 MB) Additional Information: full citation, abstract, references, index terms

The development of applications written in APL has traditionally both benefited by and suffered from the freedom offered by the environment. A consequence of this freedom is that few applications are designed from the perspectives of consistency, modularity, and structure. This paper describes how LOGOS, a programming environment for APL, helps improve the development and maintenance of APL applications. Through the use of basic support facilities and integrated tools, LOGOS encourages a mo ...

8 (In)Formalism

John Beidler, Robert McCloskey, Yaodong Bi
May 2003 Journal of Computing Sciences in Colleges, Volume 18 Issue 5

Full text available: pdf(136.37 KB) Additional Information: full citation, abstract, references, index terms

This paper describes a "gentle" approach we are taking in our Data Structures and Algorithms course to introduce the use of formal notation as an aid in the specification and implementation of abstract data types. So that it can be included as comments within source code (and be processed by the *javadoc* utility), we chose a notation that relies upon only ASCII symbols, plus the ability to italicize, boldface, and form subscripts, superscripts, and horizontal lines.

9 Authentication in distributed systems: theory and practice Butler Lampson, Martín Abadi, Michael Burrows, Edward Wobber November 1992 ACM Transactions on Computer Systems (TOCS), Volume 10 Issue 4

Full text available: pdf(3.37 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms, <u>review</u>

We describe a theory of authentication and a system that implements it. Our theory is based on the notion of principal and a "speaks for" relation between principals. A simple principal either has a name or is a communication channel; a compound principal can express an adopted role or delegated authority. The theory shows how to reason about a principal's authority by deducing the other principals that it can speak for; authenticating a channel is one important application. We ...

Keywords: certification authority, delegation, group, interprocess communication, key distribution, loading programs, path name, principal, role, secure channel, speaks for, trusted computing base

10 A study of input device manipulation difficulties

Shari Trewin

April 1996 Proceedings of the second annual ACM conference on Assistive technologies

Full text available: pdf(945.60 KB) Additional Information: full citation, references, citings, index terms

Keywords: errors, input devices, input logging, keyboard, mouse, physical disability

11 Integrated object-oriented testing and development processes

John D. McGregor, Timothy D. Korson

September 1994 Communications of the ACM, Volume 37 Issue 9

Full text available: pdf(19.79 M8) Additional Information: full citation, references, citings, index terms, review

12 <u>Termination in language-based systems</u>
Algis Rudys, Dan S. Wallach



May 2002 ACM Transactions on Information and System Security (TISSEC), Volume 5

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(355.43 KB) terms

Language run-time systems are increasingly being embedded in systems to support runtime extensibility via mobile code. Such systems raise a number of concerns when the code running in such systems is potentially buggy or untrusted. Although sophisticated access controls have been designed for mobile code and are shipping as part of commercial systems such as Java, there is no support for terminating mobile code short of terminating the entire language run-time. This article presents a c ...

Keywords: Applets, Internet, Java, resource control, soft termination, termination

13 Composing security policies with polymer

Lujo Bauer, Jay Ligatti, David Walker

June 2005 ACM SIGPLAN Notices, Proceedings of the 2005 ACM SIGPLAN conference on Programming language design and implementation PLDI '05, Volume 40 Issue 6

Full text available: ndf(155.16 KB) Additional Information: full citation, abstract, references, index terms

We introduce a language and system that supports definition and composition of complex run-time security policies for Java applications. Our policies are comprised of two sorts of methods. The first is query methods that are called whenever an untrusted application tries to execute a security-sensitive action. A query method returns a suggestion indicating how the security-sensitive action should be handled. The second sort of methods are those that perform state updates as the pol ...

Keywords: composable security policies, edit automata, program monitors, run-time enforcement, security automata

14 Invited papers on the frontiers of software practice: Component technology: what,

where, and how? Clemens Szyperski

May 2003 Proceedings of the 25th International Conference on Software Engineering

Full text available: pdf(874.15 KB)

Additional Information: full citation, abstract, references, index terms

Software components, if used properly, offer many software engineering benefits. Yet, they also pose many original challenges starting from quality assurance and ranging to architectural embedding and composability. In addition, the recent movement towards services, as well as the established world of objects, causes many to wonder what purpose components might have. This extended abstract summarizes the main points of my Frontiers of Software Practice (FOSP) talk at ICSE 2003. The topics covered ...

15 Authentication in distributed systems: theory and practice

Butler Lampson, Martín Abadi, Michael Burrows, Edward Wobber

September 1991 ACM SIGOPS Operating Systems Review, Proceedings of the thirteenth ACM symposium on Operating systems principles, Volume 25 Issue 5

Full text available: pdf(2.33 MB)

Additional Information: full citation, abstract, references, citings, index terms

We describe a theory of authentication and a system that implements it. Our theory is based on the notion of principal and a "speaks for" relation between principals. A simple principal either has a name or is a communication channel; a compound principal can



express an adopted role or delegation of authority. The theory explains how to reason about a principal's authority by deducing the other principals that it can speak for; authenticating a channel is one important application. We use the th ...

16 The Felix File Server

M. Fridrich, W. Older

December 1981 Proceedings of the eighth ACM symposium on Operating systems principles

Full text available: pdf(600.39 KB)

Additional Information: full citation, abstract, references, citings, index

This paper describes Felix - a File Server for an experimental distributed multicomputer system. Felix is designed to support a variety of file systems, virtual memory, and database applications with access being provided by a local area network. Its interface combines block oriented data access with a high degree of crash resistance and a comprehensive set of primitives for controlling data sharing and consistency. An extended set of access modes allows increased concurrency over conventio ...

17 On automated message processing in electronic commerce and work support systems: speech act theory and expressive felicity



Steven O. Kimbrough, Scott A. Moore

October 1997 ACM Transactions on Information Systems (TOIS), Volume 15 Issue 4

Full text available: pdf(502.20 KB)

Additional Information: full citation, abstract, references, citings, index <u>terms</u>

Electronic messaging, whether in an office environment or for electronic commerce, is normally carried out in natural language, even when supported by information systems. For a variety of reasons, it would be useful if electronic messaging systems could have semantic access to, that is, access to the meanings and contents of, the messages they process. Given that natural language understanding is not a practicable alternative, there remain three approaches to delivering systems with semant ...

Keywords: electronic commerce, formal language for business communication, speech act theory

18 Industrial experience with design patterns

Kent Beck, Ron Crocker, Gerard Meszaros, John Vlissides, James O. Coplien, Lutz Dominick, Frances Paulisch

May 1996 Proceedings of the 18th international conference on Software engineering

Publisher Site

Full text available: pdf(1.39 MB) Additional Information: full citation, abstract, references, citings, index

A design pattern is a particular prose form of recording design information such that designs which have worked well in the past can be applied again in similar situations in the future. The availability of a collection of design patterns can help both the experienced and the novice designer recognize situations in which design reuse could or should occur. We have found that design patterns: 1) provide an effective "shorthand" for communicating complex concepts effectively between designers, 2) ...

Keywords: best practices, design information recording, design patterns, design reuse, industrial experience, information sharing, software architecture documentation, software reusability, system documentation

Enhancing explanation coherence with rhetorical strategies



Mark T. Maybury

April 1989 Proceedings of the fourth conference on European chapter of the **Association for Computational Linguistics**

Full text available: pdf(484.06 KB)


Additional Information: full citation, abstract, references

This paper discusses the application of a previously reported theory of explanation rhetoric (Maybury, 1988b) to the task of explaining constraint violations in a hybrid rule/frame based system for resource allocation (Dawson et al, 1987). This research illustrates how discourse strategies of explanation, textual connectives, and additional justification knowledge can be applied to enhance the cohesiveness, structure, and clarity of knowledge based system explanations.

²⁰ Evaluating the portability of revision rules for incremental summary generation Jacques Robin



June 1996 Proceedings of the 34th annual meeting on Association for Computational Linguistics




Additional Information: full citation, abstract, references

This paper presents a quantitative evaluation of the portability to the stock market domain of the revision rule hierarchy used by the system STREAK to incrementally generate newswire sports summaries. The evaluation consists of searching a test corpus of stock market reports for sentence pairs whose (semantic and syntactic) structures respectively match the triggering condition and application result of each revision rule. The results show that at least 59% of all rule classes are fully portabl ...

Results 1 - 20 of 20

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us











Home | Login | Logout | Access Information | Aleris |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((observable object<in>metadata) <and> (modifier<in>metadata))<and> (..."

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((observable object<in>metadata) <and> (modifier<in>metadata))<and> (audit<ir

⊠e-mail

Check to search only within this results set

» Key

Display Format: @ Citation @ Citation & Abstract

IEEE JNL

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

No results were found.

IEE Conference IEE CNF

Proceeding

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

IEEE STO IEEE Standard

Help Contact Us Privacy &:

@ Copyright 2005 IEEE --

indexed by **Ainspec**



Home | Login | Logout | Access Information | Aierts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((observable object<in>metadata) <and> (modifier<in>metadata))"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((observable object<in>metadata) <and> (modifier<in>metadata))

>>

⊠e-mail

Check to search only within this results set

Citation Citation & Abstract

IEEE JNL

» Key

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEE CNF

IEEE CNF IEEE Conference

Proceeding

IEE Conference

Proceeding

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

IEEE STD IEEE Standard

Help Contact Us Privacy &:

@ Copyright 2005 IEEE --

indexed by **#Inspec**